

ROSSGRO

animal feeds



**BROILER
FEEDS**

Where farming meets the future

☎ 013 665 1999

✉ info@rossgro.co.za 🌐 www.rossgro.co.za

MAGNUM Range

- High density feed formulated for the best growth of broilers in 6 weeks.
- Suitable for medium to large scale producers for both live and carcass market.



Nutritional Composition

	Min/Max	Unit	Starter	Grower	Finisher	Maintenance
Reg. No. Act 36/1947			V23612	V23603	V23614	V26375
Protein	Min	g/kg	210	190	170	120
Lysine	Min	g/kg	12	11	10	5.5
Methionine	Min	g/kg	5.2	4.6	4.2	-
Moisture	Max	g/kg	120	120	120	120
Fat	Min	g/kg	25	25	25	25
Fibre	Max	g/kg	50	60	70	90
Calcium	Min-Max	g/kg	8-12	7-12	8-12	6-12
Phosphorus	Min	g/kg	6	5.5	5	5

Packaging: 50kg

Feeding Guide

	Starter	Grower	Finisher	Maintenance
3 Phase	0 - 20 Days 1000g/bird	21 - 35 Days 2500g/bird	-	Ad lib to slaughter
4 Phase	0 - 14 Days 500g/bird	15 - 27 Days 1500g/bird	28 - 35 Days 1500g/bird	Ad lib to slaughter

TOPFLITE Range

- Quality feed that is formulated for optimal growth in 6weeks.
- Suitable for small to large scale producers for both live and carcass market.



Nutritional Composition

	Min/Max	Unit	Starter	Grower	Finisher
Reg. No. Act 36/1947			V23607	V23608	V23609
Protein	Min	g/kg	200	180	160
Lysine	Min	g/kg	12	10	9
Methionine	Min	g/kg	5	4.2	4
Moisture	Max	g/kg	120	120	120
Fat	Min	g/kg	25	25	25
Fibre	Max	g/kg	50	60	70
Calcium	Min-Max	g/kg	8-12	7-12	6-12
Phosphorus	Min	g/kg	6	5.5	5

Packaging: 50kg, 10kg

Feeding Guide

	Starter	Grower	Finisher
2 Phase	0 - 20 Days 1000g/bird	21 - 35 Days 2500g/bird	-
3 Phase	0 - 14 Days 500g/bird	15 - 27 Days 1500g/bird	28 - 35 Days 1500g/bird

Estimated Feed Usage (Bags)

	2 Phase			3 Phase			
# of chicks	# of Starter Bags	# of Grower Bags	Total # of bags	# of Starter Bags	# of Grower Bags	# of Finisher Bags	Total # of bags
100	2	5	7	1	3	3	7
200	4	10	14	2	6	6	14
300	6	15	21	3	9	9	21
500	10	25	35	5	15	15	35
1000	20	50	70	10	30	30	70

Feeding Instructions:

- Feed Ad lib from day old to slaughter.
- Ensure adequate feeding and drinking space.
- Always provide clean and cool drinking water.
- Feed the correct feed for the correct feeding stage.
- Provide transition period from one feed type to the other.
- Provide adequate light for optimal feed intake.
- Manage housing environment for optimal feed efficiency.

Rossgro,
Delmas,
Mpumalanga,
2210



Rossgro



Rossgro_eggs_feed