

ROSSGRO

animal feeds



**LAYER
FEED**

Where farming meets the future

☎ 013 665 1999

✉ info@rossgro.co.za www.rossgro.co.za

LAYER Range

- The layer range is scientifically formulated to provide a balanced nutrient ration from pullets to laying chickens.
- All the feeds are formulated using the best raw materials for optimal growth of your pullets and efficient wellbeing of your laying hens.



Nutritional information

PHASE OPTION	ROSSLAY CHICK STARTER (V23575)	ROSSLAY CHICK GROWER (V23596)	ROSSLAY 105 (V23603)	ROSSGRO ALL MASH (V23605)
PROTEIN	190	160	150	140
LYSINE	10.8	8	7.5	6.75
METHIONINE	4.8	3.5	3.6	3.15
MOISTURE	120	120	120	120
FAT	25	25	25	25
FIBRE	70	80	70	70
CALCIUM	8 - 12	8 - 12	35 - 45	35 - 45
PHOSPHORUS	8	6	5.5	5

ROSSLAY CHICK STARTER

- Feed your pullets ad lib from day old to 6 - 8 weeks.
- Feed to reach the desired target weight.

ROSSLAY CHICK GROWER

- Feed your pullets ad lib from 6 - 8 weeks or from the desired weight.
- Provide transition period from ROSSLAY CHICK STARTER
- Restricted feeding can be used to maintain desired weight.
- Provide adequate feeding and drinking space to achieve flock uniformity.

ROSSLAY 105

- Feed from 18 weeks of age to end of lay.
- Provide adequate feeding and drinking space to maintain flock uniformity.
- Feed 120g per layer per day.
- provide transition period from ROSSGRO CHICK GROWER.

ROSSGRO ALL MASH

- Feed from 18 weeks of age to end of lay.
- Provide adequate feeding and drinking space to maintain flock uniformity.
- Feed 120g per layer per day.
- provide transition period from previous feed.



Management recommendations

- Always provide the right feed for the right stage
- Manage your housing temperature and ventilation to get the best feed efficiency and growth.
- Apply the best possible Biosecurity at all times.
- Weigh your chickens periodically
- Provide clean and cool drinking water at all times.
- Consult our Technical Advisors

Rossgro,
Delmas,
Mpumalanga,
2210



Rossgro



Rossgro_eggs_feed